Home | Contag



Help-index

Quick Search Advanced Search Number Search Last result list My patents list

Quick Help

Help

Why are some tabs deactivated for certain documents?

Classification Search

- Why does a list of documents with the heading "Also published as" sometimes appear, and what are these documents?
- » What does A1, A2, A3 and B stand for after an EP publication number in the "Also published as" list?
- What is a cited document?
- What are citing documents?
- » What information will I find if I click on the link "View all"?
- » What information will I find if I click on the link "View document in the European Register"?
- » Why do I sometimes find the abstract of a corresponding document?
- » Why isn't the abstract available for XP documents?

In my patents list | Print

Return to result list

TREATING LIQUID FOR PLRANOGRAPHIC PRINTING

Bibliographic data

Original document

INPADOC LEGAL status

Patent number:

JP62292492 (A)

Also published as:

Publication date:

1987-12-19

JP6035216 (B)

Inventor(s):

MINAMI AKIRA; KAWAMOTO CHIAKI; OSAWA SADAO; OISHI CHIKASHI; NAKAO SHO; SERA HIDEFUMI -

DP1909196 (C)

Applicant(s):

FUJI PHOTO FILM CO LTD :

Classification:

- international:

B41N3/08; G03G13/28; B41N3/00; G03G13/28; (IPC1-7): G03G13/28

- european:

841N3/08

Application number: JP19860136278 19860613 Priority number(s): JP19860136278 19860613

View INPADOC patent family View list of citing documents

Report a data ornar bere

Abstract of JP 62292492 (A)

Translate this text

PURPOSE:To obtain a treating liquid which ensures favorable inking property of an ink and restrains scumming or tinting from occurring, by incorporating a specified compound. CONSTITUTION:A compound of the formula, wherein each of R1-R4 is independently hydrogen, a 1-7C substd. or unsubstd. alkyl, alkenyl, aryl or aralkyl, and A<-> is hydroxyl or a monovalent acid residue, is incorporated in a treating liquid. In the formula, the total number of carbon atoms in R1-R4 is preferably not more than 16, and two or more of R1-R4 are not simultaneously hydrogen. Two of R1-R4 may be linked to each other to form a ring, and such a ring may contain a heteroatom, e.g. a nitrogen atom, an oxygen atom or a sulfur atom. At least one such compound can be used either singly or in combination in an amount (the total amount in the case of the combination) of 0.001-5wt%.; By this, excellent performance inking property of an ink, scumming or the like can be obtained.

Data supplied from the espacenet database — Worldwide